

I MATERIALI UTILIZZATI NELLA PRODUZIONE DELLE NOSTRE PERFECT BLADES®
THE MATERIALS USED FOR THE PRODUCTION OF OUR PERFECT BLADES®
LOS MATERIALES UTILIZADOS PARA LA PRODUCCION DE NUESTRAS PERFECT BLADES®

MR = metal and rubber
MRE = metal and rubber "EPDM"

P = plastic

R = rubber

V = vulcollan for "UV INKS"
top quality rubber for traditional inks

T = teflon for "UV INKS"
ST = shaped teflon for "UV INKS"

3 mm or 5 mm

3 mm or 5 mm NORMAL

The Number One

HERCULES
BLADE®

PVC


SP = special plastic


FA = laminated fibre and aluminium

RA = rubber and aluminium

MRA = metal and rubber coupled

F = laminated fibre





	CHIAVE DI LETTURA
MR	MR = Metallo + Gomma
MRE	MRE = Metallo + Gomma EPDM
P	P = Plastica
SP	SP = Plastica speciale
R	R = Gomma
V	V = Vulcollan
T	T = Teflon
ST	ST = Teflon sagomato
PVC	PVC
FA	FA = Fibra laminata + Alluminio
RA	RA = Gomma + Alluminio
MRA	MRA = Metallo + Gomma accoppiata
F	F = Fibra laminata

	KEY
MR	MR = Metal + Rubber
MRE	MRE = Metal + Rubber "EPDM"
P	P = Plastic
SP	SP = Special plastic
R	R = Rubber
V	V = Vulcollan
T	T = Teflon
ST	ST = Shaped teflon
PVC	PVC
FA	FA = Laminated fibre + Aluminium
RA	RA = Rubber + Aluminium
MRA	MRA = Metal + Rubber coupled
F	F = Laminated fibre


	LLAVE DE LECTURA
MR	MR = Metal + Goma
MRE	MRE = METAL + Goma "EPDM"
P	P = Plastico
SP	SP = Plastico especial
R	R = Goma
V	V = Vulcollan
T	T = Teflon
ST	ST = Teflon moldeado
PVC	PVC
FA	FA = Fibra laminada + Aluminio
RA	RA = Goma + Aluminio
MRA	MRA = Metal + Goma acopiados
F	F = Fibra laminada

CODICE CODE CODIGO	MACCHINA E MODELLO - MACHINE & MODEL - MÁQUINA Y MODELO	A	B	C	D	E
		MM	MM	MM		
99 5	KOMORI UTHRONE 20 - 420 (Flexible) (STANDARD)	590	47	0,5	9	MR
99 5A	KOMORI UTHRONE 20 - 420 HERCULES BLADE 	590	47	5,0	9	ST
99 5B	KOMORI UTHRONE 20 - 420	590	47	5	9	Y
99 6	KOMORI UTHRONE 20 - 420	590	50	5	9	SP
900	KOMORI SPRINT (Flexible)	590	42	0,5	5	MR
90 5	KOMORI UTHRONE 20 - 420 (Rigid)	590	2,5	2	5	MR
90 6	KOMORI LS 26	695	47	5	10	Y
90 6A	KOMORI LS 26 HERCULES BLADE 	695	47	5,0	10	ST
90 8	KOMORI UTHRONE 26 - A7W (Narrow)	700	42	0,5	10	MR
90 7	KOMORI UTHRONE SPRINT 26.226-VARIANT (Flexible)	706	47	0,5	10	MR
90 7A	KOMORI UTHRONE SPRINT 26.226-VARIANT (Flexible) For oval-oval holes-agujeros ovales	706	47	0,5	10	MR
910	KOMORI SPRINT L 2.5 (Flexible)	710	42	0,5	6	MR
911	KOMORI SPRINT 2.5	710	2,5	5	12	Y
91 5	KOMORI SPRINT 26 (Rigid)	715	50	2	6	MR
91 8	KOMORI SPICA 26	715	27	1	10	SP
91 9	KOMORI SPICA 26	715	27	0,5	10	MR
92 6	KOMORI UTHRONE 26 (Blanket auto wash)	715	42	0,5	10	MR
920	KOMORI SPRINT 2.5 NEW TYPE (Flexible)	719	45	0,5	6	MR
92 2	KOMORI SPRINT 26	720	43	0,5	9	MR
91 5A	KOMORI SPRINT 26 VARIANT	720	50	0,5	9	MR
92 1	KOMORI SPRINT (Flexible)	72 5	50	0,5	0	MR
92 5	KOMORI UTHRONE 26 SPRINT (Rigid) (STANDARD)	726	2,5	2	6	MR
930	KOMORI UTHRONE 26 (Flexible) (STANDARD)	726	27	0,5	6	MR
92 5	KOMORI UTHRONE 26 - 26 (Flexible)	726	42	0,5	6	MR
92 3	KOMORI UTHRONE S 26	730	2,5	1	10	SP
92 4	KOMORI UTHRONE S 26	730	2,5	0,5	10	MR
93 7	KOMORI UTHRONE 26 - 426	730	2,5	1	10	SP
95 5	KOMORI UTHRONE 429	765	47	5	11	SP
95 5A	KOMORI UTHRONE 429	76 5	47	5	11	Y
960	KOMORI UTHRONE 29 S29 - KOMORI SPRINT 29 II (Flexible) (STANDARD)	765	47	0,5	11	MR
96 2	KOMORI UTHRONE 529 (Flexible) (STANDARD)	775	47	0,5	11	MR
96 2A	KOMORI UTHRONE 529 HERCULES BLADE 	775	47	5,0	11	ST
96 2B	KOMORI UTHRONE 529	775	47	5	11	Y
950	KOMORI UTHRONE 29 (Flexible)	790	42	0,5	9	MR
950A	KOMORI UTHRONE 29 HERCULES BLADE 	790	42	5,0	9	ST
940	KOMORI UTHRONE 29 SPRINT (Rigid) (STANDARD)	795	2,5	2	6	MR
94 5	KOMORI UTHRONE 29 SPRINT (Flexible)	795	27	0,5	6	MR
94 6	KOMORI UTHRONE 29 - 429 - 529	795	27	5	6	SP
96 1A	KOMORI SPICA 29	805	29	1	11	SP
96 1	KOMORI SPICA 29 (STANDARD)	805	49	0,5	11	MR
96 3	KOMORI SPICA 29 SPECIAL PLASTIC	806	29	2	11	SP
96 3A	KOMORI SPICA 29	809	29	0,5	11	MR
96 3B	KOMORI SPICA 29 HERCULES BLADE 	809	29	5,0	11	ST
96 3C	KOMORI SPICA 29	809	29	2	11	Y
96 6	KOMORI LSX 29 - 429 - 529 - 629 - 929 (STANDARD)	920	2,5	1	11	SP
96 6	KOMORI LSX 29 - 429 - 529 - 629 - 929	920	2,5	2	11	SP
96 6A	KOMORI L29 - 429 - 529 - 629 - 929	920	26	0,5	11	MR
96 6D	KOMORI LS 29 H-UV	920	26	2	11	Y
96 6D1	KOMORI LS 29 H-UV	920	26	5	11	Y
96 6E	KOMORI LS 29 H-UV	920	26	2	11	T
96 6J	KOMORI LS 29 HERCULES BLADE 	920	26	5,0	11	ST
96 6B	KOMORI LSX - SPICA 29 - 429 - 529 - 629 - 929 HERCULES BLADE 	925	26	5,0	11	ST
96 6C	KOMORI LSX - SPICA 29	925	26	2	11	Y
97 2	KOMORI UTHRONE 32	932	43	5	6	SP
96 6F	KOMORI UTHRONE S 32 / 52	930	47	0,5	12	MR
96 6L	KOMORI UTHRONE A27 - A27 P	1010	2,5	2	12	Y
96 6M	KOMORI UTHRONE A27 HERCULES BLADE 	1010	2,5	5,0	12	ST
96 6G	KOMORI UTHRONE G 27	1014	2,5	1	12	SP
96 6H	KOMORI UTHRONE G 27	1014	2,5	2	12	Y
96 6K	KOMORI UTHRONE L 27 HERCULES BLADE 	1014	2,5	5,0	12	ST
100 9A	KOMORI UTHRONE S 440 - 540 - 640 - 940	1045	50	1	14	SP
100 9D	KOMORI UTHRONE SX 40	1045	50	0,5	14	MR
100 9Q	KOMORI 40	1060	47	0,5	15	MR
10 12A	KOMORI LSX 40 - 440 - 540 - 640 - 940	106 5	50	1	14	SP
97 5	KOMORI UTHRONE 40	1067	47	5	15	SP
990	KOMORI UTHRONE 40	1067	47	0,5	15	MR
99 5	KOMORI UTHRONE 40	1076	47	0,5	15	MR
1000	KOMORI UTHRONE 40	1076	47	5	15	SP
100 1	KOMORI UTHRONE 40	1076	42	5	15	SP


UNIVERSAL BLADE for **KOMORI LITHRONE 40 - GX/G SERIES - SX/S SERIES**

MATERIAL: SPECIAL PLASTIC - THICKNESS: 1mm - N. 15 HOLES


CODE 1009 L



CODE 1009 M



CODE 1009 N



Taglio e messa a misura a seconda della lunghezza necessaria per la vostra macchina


Cutting-to-size according to the length your machine requires

Corte y puesta a medida de acuerdo con la longitud necesaria para su máquina



KOMORI

CODE CODE CODIGO	MACCHINA E MODELLO - MACHINE & MODEL - MÁQUINA Y MODELO	A	B	C	D	E
		MM	MM	MM		
1002	KOMORI LITHRONE 40 A/W	1076	50	5	8	SP
982	KOMORI LITHRONE 40 - 440 - 540 - 640 - 840 (Blanket subwash)	1080	52	0,5	12	MR
992A	KOMORI LITHRONE 40 EPDM FOR UV	1080	50	0,5	12	MRE
1009R	KOMORI LITHRONE GX 40 HERCULES BLADE 	108,5	50	5,0	15	ST
1009G	KOMORI LITHRONE GX 40	108,5	50	1	15	SP
1009P	KOMORI LITHRONE GX 40	108,5	50	5	15	Y
965A	KOMORI LITHRONE 40	1080	50	5	8	SP
965B	KOMORI LITHRONE 40	1080	50	5	8	Y
965	KOMORI LITHRONE 40 (STANDARD)	1080	47	0,5	15	MR
960	KOMORI LITHRONE 40 (For oval - oval holes - agujeros ovales)	1080	47	0,5	15	MR
964	KOMORI LITHRONE L 40 (SPECIAL)	1080	47	0,5	15	MR
964	KOMORI LITHRONE 40	108,5	52	0,5	8	MR
965	KOMORI LITHRONE 40	108,5	50	5	8	SP
967	KOMORI LITHRONE 40	108,5	50	5	15	SP
967A	KOMORI LITHRONE 40	108,5	50	5	15	Y
968	KOMORI LITHRONE 40	108,5	50	0,5	15	MR
970	KOMORI LITHRONE 40	108,5	50	0,5	8	MR
970A	KOMORI LITHRONE 40	108,5	47	1	15	SP
1009C	KOMORI LITHRONE G40 - KOMORI GL 40-440	108,5	50	1	15	SP
1009E	KOMORI LITHRONE G 40 - 440 HERCULES BLADE 	108,5	50	5,0	15	ST
1010	KOMORI LITHRONE 40	108,5	52	5	15	Y
1010A	KOMORI LITHRONE 40 (SPECIAL)	108,5	52	5	15	Y
1015	KOMORI LITHRONE 40	108,5	52	0,5	15	MR
1017	KOMORI LITHRONE 40	108,5	52	5	15	SP
1017A	KOMORI LITHRONE S 40 SP	1100	25	1	15	SP
1017B	KOMORI LITHRONE GL 40	110,5	50	1	15	SP
1009	KOMORI LITHRONE S 440 - 540 - 640 - 840 (STANDARD)	110,5	50	1	15	SP
1011	KOMORI LITHRONE S 440 - 540 - 640 - 840 (STANDARD)	110,5	50	0,5	15	MR
1011A	KOMORI LITHRONE S 440 - 540 - 640 - 840 HERCULES BLADE 	110,5	50	5,0	15	ST
1011B	KOMORI LITHRONE S 440 - 540 - 640 - 840	110,5	50	5	15	Y
1011C	KOMORI LITHRONE S 440 - 540 - 640 - 840	110,5	50	2	15	Y
1012	KOMORI LSX 40 - 440 - 540 - 640 - 840	110,5	50	1	14	SP
1009L	KOMORI LITHRONE 40 G/GX-S/SX UNIVERSAL	1110	25	1	15	SP
1005	KOMORI LITHRONE 40 (STANDARD)	1110	47	0,5	15	MR
1005A	KOMORI LITHRONE 40 - 440 - 540 - 640 - 840 HERCULES BLADE 	1110	47	5,0	15	ST
1007	KOMORI LITHRONE 40	1110	47	5	15	SP
1008	KOMORI LITHRONE S 40 2002 (STANDARD)	1110	47	1	15	SP
1017C	KOMORI LITHRONE GL 40	1110	47	1	15	SP
1008A	KOMORI LITHRONE S 40	1110	47	2	15	SP
1008B	KOMORI LITHRONE 40 - 440 - 540 - 640 - 840	1110	47	5	15	Y
1008H	KOMORI LITHRONE 40 G/GX-S/SX	1110	50	1	15	SP
1008B	KOMORI LITHRONE S 440 - 450 - 640 - 840 HERCULES BLADE 	1110	50	5,0	15	ST
1009F	KOMORI LITHRONE G 40 P	108,5	50	1	15	ST
1009V	KOMORI G40 P	108,5	50	2	15	SP
1009H	KOMORI LITHRONE GL-840P-A	108,5	50	1	15	SP
1009K	KOMORI LITHRONE G 44	1220	50	1	17	SP
1009S	KOMORI LITHRONE GX 40	1117	50	1	15	SP
1018	KOMORI LITHRONE 44	1120	52	0,5	15	MR
1018A	KOMORI LITHRONE 640	1120	47	5	15	Y
1019	KOMORI LITHRONE 44	1185	45	5	17	Y



A = Length | B = Width | C = Thickness | D = N° of Holes | E = Material

STANDARD = OFFICIAL WASH UP BLADE

RACLE LAVAPULITO PIÙ RICHIESTE - THE MOST POPULAR WASH-UP BLADES - REGLETAS LAVARODILLOS MÁS SOLICITADAS

NB: MRE = MR +15% PRICE

KOMORI

CODICE CODE CODIGO	MACCHINA E MODELLO - MACHINE & MODEL - MÁQUINA Y MODELO	A	B	C	D	E
		MM	MM	MM		
1019A	KOMORI UTHRONE 44	1198	46	5	17	Y
1020	KOMORI UTHRONE 44	1190	50	0,5	9	MR
1020	KOMORI UTHRONE 44	1192	50	0,5	17	MR
1021	KOMORI UTHRONE 44	1192	50	5	17	SP
1019B	KOMORI UTHRONE 44	1192	50	5	17	Y
1022	KOMORI UTHRONE 44 SP	1210	47	0,5	17	MR
1024	KOMORI UTHRONE 44	1210	47	5	17	SP
1025	KOMORI UTHRONE 50	1276	50	5	19	SP
1040	KOMORI UTHRONE 50	1280	50	0,5	10	MR
1025	KOMORI UTHRONE 50	1280	50	5	10	SP
1030	KOMORI UTHRONE 50	1280	42	0,5	19	MR
1042	KOMORI UTHRONE 50	1280	50	0,5	19	MR
1042A	KOMORI UTHRONE 50	1280	50	0,5	19	MR
1042	KOMORI UTHRONE 50	1285	50	2	19	SP

KOMORI CHAMBON (SERIES)

CODICE CODE CODIGO	MACCHINA E MODELLO - MACHINE & MODEL - MÁQUINA Y MODELO	A	B	C	D	E
		MM	MM	MM		
3455	KOMORI CHAMBON	657	46	1	7	P
916	KOMORI CHAMBON	725	40	1	0	SP
917	KOMORI CHAMBON	725	40	0,5	0	MR
3456	KOMORI CHAMBON	734	20	1	0	P
3457	KOMORI CHAMBON	792	40	1	0	P
3458	KOMORI CHAMBON	792	40	0,5	0	MR

KOMORI WEB

CODICE CODE CODIGO	MACCHINA E MODELLO - MACHINE & MODEL - MÁQUINA Y MODELO	A	B	C	D	E
		MM	MM	MM		
1041	KOMORI SYSTEM 18S					
1050	KOMORI SYSTEM 20	590	56	0,5	7	MR
1050A	KOMORI SYSTEM 25					
969	KOMORI SYSTEM 25	959	49	0,5	12	MR
1060	KOMORI SYSTEM 25	960	49	0,5	12	MR
1061	KOMORI SYSTEM 25 SPECIAL PLASTIC	960	49	1	12	SP
1065	KOMORI SYSTEM 25B2	970	50	0,5	12	MR
1065A	KOMORI SYSTEM 25	970	47	0,5	12	MR
1066	KOMORI SYSTEM 25 ML UPPER	970	55	0,5	11	MR
1067	KOMORI SYSTEM 25 ML UPPER SPECIAL PLASTIC	970	55	1	11	SP
1068	KOMORI SYSTEM 25 ML LOWER	970	62	0,5	11	MR
1069	KOMORI SYSTEM 25 ML LOWER SPECIAL PLASTIC	970	62	1	11	SP
971	KOMORI SYSTEM 25	971	50	0,5	12	MR
1070	KOMORI SYSTEM 28	1029	47	0,5	11	MR
1055	KOMORI SYSTEM 40	1020	47	0,5	11	MR
1071	KOMORI SYSTEM 28	1040	55	0,5	11	MR
1071A	KOMORI SYSTEM 28 MULOCOLLIN	1040	55	5	0	Y
1072	KOMORI SYSTEM 28	1050	50	0,5	11	MR
1073	KOMORI SYSTEM 28D	1060	48	0,5	15	MR
1074	KOMORI SYSTEM G 28					
1075	KOMORI SYSTEM 40					
1076	KOMORI SYSTEM 42					